

Reference List

Abbiendi, G. (1997, June 25). High Energy Photoproduction. *arXiv.org*.

Abe, K., Bacon, T. C., Ballam, J., Bevan, A. V., & Bingham, H. H. (1984). Study of the $\rho'(1600)$ Mass Region Using $\gamma p \rightarrow \pi^+ \pi^- p$ at 20 GeV. *Physical Review Letters*, 53(8), 751–754. <http://doi.org/10.1103/PhysRevLett.53.751>

Abe, K., others. (1985). Test of S Channel Helicity Conservation in Inelastic ρ^0 Diffraction in 20-GeV Photoproduction. *Phys. Rev.*, D32(9), 2288–2293. <http://doi.org/10.1103/PhysRevD.32.2288>

Alexander, G., Bar-Nir, I., Brandstetter, A., Benary, O., Gandsman, J., others. (1973). STUDY OF HIGH-ENERGY PHOTOPRODUCTION WITH POSITRON ANNIHILATION RADIATION. 2. THE REACTION $\gamma p \rightarrow p \pi^+ \pi^- \pi^-$. *Phys. Rev.*, D8(7), 1965–1978. <http://doi.org/10.1103/PhysRevD.8.1965>

Alexander, G., Benary, O., Dagan, S., Gandsman, J., Grunhaus, J., Levy, A., et al. (1974). Study of high-energy photoproduction with positron-annihilation radiation III. The reactions $\gamma p \rightarrow p 2\pi^+ 2\pi^- \pi^0$ and $\gamma p \rightarrow n 3\pi^+ 2\pi^-$. *Physical Review D*, 9(3), 644–648. <http://doi.org/10.1103/PhysRevD.9.644>

Aston, D., Atkinson, M., & Ball, A. (1982a). THE 25-GeV TO 70-GeV TAGGED PHOTON FACILITY AT CERN. *Nuclear Instruments and Methods*.

Aston, D., Atkinson, M., Bailey, R., & Ball, A. (1980a). Photoproduction of $K^+ K^-$ pairs on hydrogen at photon energies of 20 to 36 GeV. *Nuclear Physics B*.

Aston, D., Atkinson, M., Bailey, R., & Ball, A. (1980b). The reactions $\gamma p \rightarrow \omega \pi^+ \pi^- p$ and $\gamma p \rightarrow \eta \pi^+ \pi^- p$ at photon energies of 25-70 GeV. *Nuclear Physics B*.

Aston, D., Atkinson, M., Bailey, R., & Ball, A. (n.d.). A SEARCH FOR THE DECAYS OF F^{+-} INTO ϕ MESONS INTO A PHOTOPRODUCTION EXPERIMENT. *Nuclear*

Aston, D., Atkinson, M., Bailey, R., Ball, A. H., & Bartsch, H. J. (1982b). Photoproduction of ρ^0 and ω on hydrogen at photon energies of 20 to 70 GeV. *Nuclear Physics B*, 209(1), 56–76. [http://doi.org/10.1016/0550-3213\(82\)90102-X](http://doi.org/10.1016/0550-3213(82)90102-X)

Aston, D., Atkinson, M., Bailey, R., Ball, A. H., & Bouquet, B. (1980c). Observation of a threshold enhancement in the reaction $\gamma p \rightarrow K^+ K^- \pi^+ \pi^- p$ at γ energies of 20–70 GeV. *Physics Letters B*, 92(1-2), 219–222. [http://doi.org/10.1016/0370-2693\(80\)90341-X](http://doi.org/10.1016/0370-2693(80)90341-X)

Aston, D., Atkinson, M., Bailey, R., Ball, A. H., Bouquet, B., Brookes, G. R., et al. (1980d). Jet-like structure in the reaction $\gamma p \rightarrow \pi^+ \pi^- \pi^+ \pi^- \pi^+ \pi^- p$. *Nuclear Physics B*, 166(1), 1–24. [http://doi.org/10.1016/0550-3213\(80\)90487-3](http://doi.org/10.1016/0550-3213(80)90487-3)

Aston, D., Atkinson, M., Bailey, R., Ball, A., & Bouquet, B. (1981). Evidence for a high mass enhancement in $K^+ K^-$ photoproduction. *Physics Letters B*.

Aston, D., others. (1980). Observation of an $\omega \pi^0$ State of Mass 1.25-GeV Produced by Photons of Energy 20-GeV - 70-GeV. *Phys.Lett.*, B92(1-2), 211–214. [http://doi.org/10.1016/0370-2693\(80\)90339-1](http://doi.org/10.1016/0370-2693(80)90339-1)

Aston, D., others. (1981). The Reaction $\gamma p \rightarrow \pi^+ \pi^- \pi^+ \pi^-$ for Photon Energies From 25-GeV to 70-GeV. *Nucl.Phys.*,

Atiya, M. S., Holmes, S. D., Knapp, B. C., Lee, W., & Seto, R. (1979). High-Energy Photoproduction of $\rho'(1600)$. *Physical Review Letters*, 43(23), 1691–1694. <http://doi.org/10.1103/PhysRevLett.43.1691>

Atkinson, M., Axon, T. J., & Barberis, D. (1984a). Photoproduction of ρ ρ and ρ f systems. *Nuclear ...*

Atkinson, M., Axon, T. J., Barberis, D., & Brodbeck, T. J. (1982). The decay of the $\rho'(1600)$ into $\pi^+ \pi^- \pi^0 \pi^0$. *Physics Letters B*, 108(1), 55–57. [http://doi.org/10.1016/0370-2693\(82\)91141-8](http://doi.org/10.1016/0370-2693(82)91141-8)

Atkinson, M., Axon, T. J., Barberis, D., & Brodbeck, T. J. (1983a). Photoproduction of an isoscalar 3π resonance at 1.67 GeV. *Physics Letters B*.

Atkinson, M., Axon, T. J., Barberis, D., & Brodbeck, T. J. (1983b). The reaction $\gamma p \rightarrow \rho \omega \pi^+ \pi^-$ for photon energies of 25–50 GeV. *Nuclear Physics B*, 229(2), 269–283. [http://doi.org/10.1016/0550-3213\(83\)90332-2](http://doi.org/10.1016/0550-3213(83)90332-2)

Atkinson, M., Axon, T. J., Barberis, D., & Brodbeck, T. J. (1984b). A spin-parity analysis of the $\omega \pi^0$ enhancement photoproduced in the energy range 20 to 70 GeV. *Nuclear Physics B*, B243(1), 1–28. [http://doi.org/10.1016/0550-3213\(84\)90382-1](http://doi.org/10.1016/0550-3213(84)90382-1)

Atkinson, M., Axon, T. J., Barberis, D., & Brodbeck, T. J. (1984c). Inclusive photoproduction of ρ and ω in the photon energy range 20 to 70 GeV. *Nuclear Physics B*, 245, 189–214. [http://doi.org/10.1016/0550-3213\(84\)90429-2](http://doi.org/10.1016/0550-3213(84)90429-2)

Atkinson, M., Axon, T. J., Barberis, D., & Brodbeck, T. J. (1984d). Observation of a peak at 1.28 GeV in the $\eta \pi \pi$ system in the reaction $\gamma p \rightarrow \eta \pi^+ \pi^- p$. *Nuclear Physics B*, B242(2), 269–281. [http://doi.org/10.1016/0550-3213\(84\)90393-6](http://doi.org/10.1016/0550-3213(84)90393-6)

Atkinson, M., Axon, T. J., Barberis, D., & Brodbeck, T. J. (1984e). Photoproduction of $K\bar{K}\pi$ final states in the photon energy range from 20 to 70 GeV. *Nuclear Physics B*, B231(1), 1–14. [http://doi.org/10.1016/0550-3213\(84\)90303-1](http://doi.org/10.1016/0550-3213(84)90303-1)

Atkinson, M., Axon, T. J., Barberis, D., & Brodbeck, T. J. (1985a). Evidence for a $\omega \rho^\pm \pi^\pm$ state in diffractive photoproduction. *Zeitschrift Für Physik C ...*, 29(3), 333–338. <http://doi.org/10.1007/BF01565179>

Atkinson, M., Axon, T. J., Barberis, D., & Brodbeck, T. J. (1985b). Photoproduction of ϕ mesons by linearly polarized photons of energy 20–40 GeV and further evidence for a photoproduced high-mass KK enhancement. *Zeitschrift Für Physik C ...*, C27(2), 233–238. <http://doi.org/10.1007/BF01556612>

Atkinson, M., Axon, T. J., Barberis, D., & Brodbeck, T. J. (1985c). The ρ' in the reaction $\gamma p \rightarrow \pi^+ \pi^- \pi^0 \pi^0 p$ at photon energies of 20–70 GeV. *Zeitschrift Für Physik C ...*. <http://doi.org/10.1007/BF01551791>

Atkinson, M., Axon, T. J., Barberis, D., & Brodbeck, T. J. (1986a). Inclusive photoproduction of ϕ , $K^*(890)$ and $K^*(1420)$ in the photon energy range 20 to 70 GeV. *Zeitschrift Für Physik C ...*, 30(4), 521–530. <http://doi.org/10.1007/BF01571799>

Atkinson, M., Axon, T. J., Barberis, D., & Brodbeck, T. J. (1986b). Study of $\eta \pi^+ \pi^-$ in the $\rho'(1600)$ mass region photoproduced in the reaction $\gamma p \rightarrow \eta \pi^+ \pi^- p$ at photon energies of 20 to 70 GeV. *Zeitschrift Für Physik C ...*, 30(4), 531–539. <http://doi.org/10.1007/BF01571800>

Atkinson, M., Axon, T. J., Barberis, D., Brodbeck, T. J., Brookes, G. R., Bunn, J. J., Bussey, P. J., Clegg, AB, Dainton, J. B., & Davenport, M. (1987a). A peak in the $\eta \omega$ mass spectrum from diffractive photoproduction. *Zeitschrift Für Physik C Particles and Fields*, 34(3), 303–306.

Atkinson, M., Axon, T. J., Barberis, D., Brodbeck, T. J., Brookes, G. R., Bunn, J. J., Bussey, P. J., Clegg, AB, Dainton, J. B., &

Davenport, M. (1987b). Diffractive photoproduction of a $b_1 \pi$ system. *Zeitschrift Für Physik C Particles and Fields*, 34(2), 157–162.

Atkinson, M., Axon, T. J., Barberis, D., Brodbeck, T. J., Brookes, G. R., Bunn, J. J., et al. (1984f). Photoproduction of $\pi^+ \pi^- \pi^0$ on hydrogen with linearly polarized photons of energy 20-70 GeV. *Nuclear Physics B*, 231, 15–39.

Atkinson, M., Axon, T. J., Barberis, D., Brodbeck, T. J., Brookes, G. R., Bunn, J. J., et al. (1986c). Search for a ϕ' vector meson in diffractive photoproduction of $K^+ K^- \pi^+ \pi^-$. *Zeitschrift Für Physik C Particles and Fields*, 30(4), 541–544.

Atkinson, M., Axon, T., Barberis, D., & Brodbeck, T. (1981). The reaction $\gamma p \rightarrow \eta \pi^+ \pi^- p$ for energies of 20-70 GeV. *Cdsweb.Cern.Ch*.

Ballam, J., Chadwick, G. B., Eisenberg, Y., Kogan, E., Moffeit, K. C., others. (1973a). Vector Meson Production by Polarized Photons at 2.8-GeV, 4.7-GeV, and 9.3-GeV. *Phys. Rev.*, D7(11), 3150–3177. <http://doi.org/10.1103/PhysRevD.7.3150>

Ballam, J., Chadwick, G. B., Eisenberg, Y., Kogan, E., Moffeit, K. C., others. (1974). A SEARCH FOR B AND ρ' (1250) PRODUCTION IN THE REACTION $\gamma p \rightarrow p \pi^+ \pi^-$ NEUTRALS AT 2.8-GeV, 4.7-GeV AND 9.3-GeV. *Nucl.Phys.*, B76(3), 375–399. [http://doi.org/10.1016/0550-3213\(74\)90532-X](http://doi.org/10.1016/0550-3213(74)90532-X)

Ballam, J., Chadwick, G. B., Eisenberg, Y., Kogan, E., Moffeit, K. C., Seyboth, P., et al. (1973b). Vector-Meson Production by Polarized Photons at 2.8, 4.7, and 9.3 GeV. *Physical Review D*, 7(11), 3150–3177. <http://doi.org/10.1103/PhysRevD.7.3150>

Ballam, J., Chadwick, G. B., Gearhart, R., Guiragossian, Z. G. T., Menke, M., others. (1970). CONSERVATION OF S CHANNEL HELICITY IN ρ^0 PHOTOPRODUCTION. *Physical Review Letters*, 24(17), 960–963. <http://doi.org/10.1103/PhysRevLett.24.960>

Ballam, J., Chadwick, G. B., Gearhart, R., Guiragossian, Z. G. T., Murray, J. J., others. (1972a). Bubble Chamber Study of Photoproduction by 2.8-GeV and 4.7-GeV Polarized Photons. 1. Cross-Section Determinations and Production of ρ^0 and Δ^{++} in the Reaction $\gamma p \rightarrow p \pi^+ \pi^-$. *Phys. Rev.*, D5(3), 545–589. <http://doi.org/10.1103/PhysRevD.5.545>

Ballam, J., Chadwick, G. B., Menke, M., Seyboth, P., Eisenberg, Y., others. (1972b). STUDY OF HIGH-ENERGY PHOTOPRODUCTION WITH POSITRON ANNIHILATION RADIATION: I THREE PRONG EVENTS. *Phys. Rev.*, D5(1), 15–38. <http://doi.org/10.1103/PhysRevD.5.15>

Ballam, J., Chadwick, G., & Guiragossian, Z. (1968). Partial Photoproduction Cross Sections up to 12 GeV. *Physical Review Letters*.

Barber, D. P., Dainton, J. B., Edward, M., & Gabathuler, E. (1978a). A large aperture spectrometer for the study of multibody photoproduction in the incident energy range 1–5 GeV. *Nuclear Instruments and ...*, 155(3), 353–369. [http://doi.org/10.1016/0029-554X\(78\)90517-7](http://doi.org/10.1016/0029-554X(78)90517-7)

Barber, D. P., Dainton, J. B., Gabathuler, E., Johnson, P. N., Lee, L. C. Y., Littenberg, L., et al. (1977). A 480-channel lead glass Cherenkov detector. *Nuclear Instruments and Methods*, 145(3), 453–464. [http://doi.org/10.1016/0029-554X\(77\)90577-8](http://doi.org/10.1016/0029-554X(77)90577-8)

Barber, D. P., Dainton, J. B., Lee, L., & Marshall, R. (1978b). Forward and wide angle elastic ϕ -meson photoproduction on hydrogen between 2.8 and 4.8 GeV. *Physics Letters B*, 79(1-2), 150–156. [http://doi.org/10.1016/0370-2693\(78\)90457-4](http://doi.org/10.1016/0370-2693(78)90457-4)

Barber, D. P., Dainton, J. B., Lee, L., & Marshall, R. (1978c). Inclusive π^0 photoproduction and the quark-parton model.

Barber, D. P., Dainton, J. B., Lee, L., & Marshall, R. (1979). Charged p photoproduction in the energy range 2.8–4.8 GeV. *Zeitschrift Für Physik C ...*, 2(1), 1–6. <http://doi.org/10.1007/BF01546228>

Barber, D. P., Dainton, J. B., Lee, L., & Marshall, R. (1980a). Elastic antiproton-proton photoproduction between threshold and 4.8 GeV. *Physics Letters B*, B90(4), 470–474. [http://doi.org/10.1016/0370-2693\(80\)90976-4](http://doi.org/10.1016/0370-2693(80)90976-4)

Barber, D. P., Dainton, J. B., Lee, L., & Marshall, R. (1980b). Photoproduction of $\rho'(1.2)$ and $\rho'(1.6)$ in the final states $\pi^+ \pi^-$ and $\pi^+ \pi^- \pi^0 \pi^0$. *Zeitschrift Für Physik C ...*, C4(3), 169–179. <http://doi.org/10.1007/BF01421795>

Barber, D. P., Dainton, J. B., Lee, L., & Marshall, R. (1980c). Strangeness exchange in the photoproduction of $K^+ \Lambda(1520)$ between 2.8 and 4.8 GeV. *Zeitschrift Für Physik C ...*, 7(1), 17–20. <http://doi.org/10.1007/BF01577315>

Barber, D. P., Dainton, J. B., Lee, L., & Marshall, R. (1982). A study of elastic photoproduction of low mass $K^+ K^-$ pairs from hydrogen in the energy range 2.8–4.8 GeV. *Zeitschrift Für Physik C ...*, 12(1), 1–15. <http://doi.org/10.1007/BF01475724>

Barber, D. P., Dainton, J. B., Lee, L., & Marshall, R. (1984). A study of the reactions $\gamma p \rightarrow \omega p$ and $\gamma p \rightarrow \omega p$ and $\gamma p \rightarrow \omega \Delta$. *Zeitschrift Für Physik C ...*, 26(3), 343–351. <http://doi.org/10.1007/BF01452559>

Bauer, T. H., Spital, R. D., Yennie, D. R., & Pipkin, F. M. (1978). The Hadronic Properties of the Photon in High-Energy Interactions. *Rev.Mod.Phys.*, 50(2), 261–436. <http://doi.org/10.1103/RevModPhys.50.261>

Behrend, H. J., Bodenkamp, J., Hesse, W. P., Fries, D. C., Heine, P., Hirschmann, H., et al. (1975). Photoproduction of Φ -mesons at small t -values. *Physics Letters B*, 56(4), 408–412. [http://doi.org/10.1016/0370-2693\(75\)90331-7](http://doi.org/10.1016/0370-2693(75)90331-7)

Bingham, H. H., Fretter, W. B., Podolsky, W. J., Rabin, M. S., Rosenfeld, A. H., others. (1973). TOTAL AND PARTIAL gamma p CROSS-SECTIONS AT 9.3-GeV. *Phys. Rev.*, D8(5), 1277–1286. <http://doi.org/10.1103/PhysRevD.8.1277>

Blackett, G. R., Danyo, K., Handler, T., Pisharody, M., & Condo, G. T. (1997, August 21). The Photoproduction of the $b_1(1235)\pi$ System. *arXiv.org*.

Burkert, V. D., & Lee, T. S. H. (2004, July 21). Electromagnetic Meson Production in the Nucleon Resonance Region. *arXiv.org*. <http://doi.org/10.1142/S0218301304002545>

Busenitz, J., Olszewski, C., Callahan, P., & Gladding, G. (1989). High-energy photoproduction of $\pi^+ \pi^- \pi^0$, $K^+ K^-$, and pp^- states. *Physical Review D*, (1). <http://doi.org/10.1103/PhysRevD.40.1>

Clegg, A. B., & Donnachie, A. (1988). Dissociation of the photon to $\pi^+ \pi^- \pi^0 \pi^0$ and $\omega \pi^0$ states. *Zeitschrift Für Physik C Particles and Fields*. <http://doi.org/10.1007/BF01555894>

Clegg, A. B., & Donnachie, A. (1990). Rhoprimes in 6π states from materialisation of photons. *Zeitschrift Für Physik C Particles and Fields*, 45(4), 677–680. <http://doi.org/10.1007/BF01556281>

Condo, G. T., Handler, T., Bugg, W. M., Blackett, G. R., Pisharody, M., others. (1993). Further results from charge exchange photoproduction. *Phys. Rev.*, D48(7), 3045–3047. <http://doi.org/10.1103/PhysRevD.48.3045>

Condo, G. T., Handler, T., Shimony, J., Abe, K., Armenteros, R., Austern, M., et al. (1991). Photoproduction of an isovector $\rho\pi$ state at 1775 MeV. *Physical Review D*, 43(9), 2787–2791. <http://doi.org/10.1103/PhysRevD.43.2787>

Condo, G. T., Handler, T., Shimony, J., Abe, K., Austern, M., Armenteros, R., et al. (1990). Charge-exchange photoproduction of the $\rho(770)$ in association with Δ^{++} at 19.3 GeV/c. *Physical Review D*, 41(11), 3317–3323. <http://doi.org/10.1103/PhysRevD.41.3317>

Cooper, F. (1968). Use of Polarized Photons as a Parity Filter in Vector-Meson Photoproduction Experiments. *Phys. Rev.*, 170(5), 170.

Donnachie, A., & Clegg, A. B. (1987). η p in Diffractive Photoproduction and e^+e^- Annihilation. *Z.Phys.*, C34(2), 257–260. <http://doi.org/10.1007/BF01566768>

Donnachie, A., & Mirzaie, H. (1987). Evidence for two $\rho'(1600)$ resonances. *Zeitschrift Für Physik C Particles and Fields*, 33(3), 407–417. <http://doi.org/10.1007/BF01552547>

Eisenberg, Y., Haber, B., Horovitz, B., Peleg, E., Ronat, E. E., others. (1969). PHOTOPRODUCTION OF THE $\rho(770)$ MESON IN THE REACTION $\gamma p \rightarrow n \pi^+ \pi^+ \pi^-$ AND AN ESTIMATE OF THE $\rho(770)$ $\gamma \pi$ WIDTH. *Physical Review Letters*, 23(22), 1322–1324. <http://doi.org/10.1103/PhysRevLett.23.1322>

Eisenberg, Y., Haber, B., Ronat, E. E., Stahl, Y., Yekutieli, G., others. (1971). PHOTOPRODUCTION OF ω MESONS FROM 1.2-GEV TO 8.2-GeV. *Phys.Lett.*, B34(5), 439–442. [http://doi.org/10.1016/0370-2693\(71\)90648-4](http://doi.org/10.1016/0370-2693(71)90648-4)

Frabetti, P. L., others. (1992). Description and performance of the Fermilab E687 spectrometer. *Nucl.Instrum.Meth.*, A320(3), 519–547. [http://doi.org/10.1016/0168-9002\(92\)90948-4](http://doi.org/10.1016/0168-9002(92)90948-4)

Fries, D. C., Heine, P., Hirschmann, H., Markou, A., Seitz, E., Behrend, H. J., et al. (1978). S-P wave interference in K^+K^- photoproduction near K^+K^- threshold. *Nuclear Physics B*, 143(3), 408–416. [http://doi.org/10.1016/0550-3213\(78\)90060-3](http://doi.org/10.1016/0550-3213(78)90060-3)

Goodman, M. C., Avery, P., Butler, J., & Gladding, G. (1980). Study of the Okubo-Zweig-Iizuka rule in exclusive photoproduction reactions. *Physical Review D*, 22(3), 537–552. <http://doi.org/10.1103/PhysRevD.22.537>

Kloet, W. M., Chiang, W.-T., & Tabakin, F. (1998). Spin information from vector-meson decay in photoproduction. *Physical Review C*, 58(2), 1086–1097. <http://doi.org/10.1103/PhysRevC.58.1086>

Krass, A. S. (1967). Interference Effects in Photoproduction of ρ^0 Mesons. *Physical Review*, 159(5), 1496–1500. <http://doi.org/10.1103/PhysRev.159.1496>

Leith, D. W. G. S. (1980). Photoproduction and Vector Dominance (pp. 1–208).

Link, J. M., Reyes, M., Yager, P. M., Anjos, J. C., & Bediaga, I. (2002). Observation of a 1750 MeV/c² enhancement in the diffractive photoproduction of K^+K^- . *Physics Letters B*.

Moffeit, K. C., Bingham, H. H., Fretter, W. B., Podolsky, W. J., Rabin, M. S., Rosenfeld, A. H., et al. (1971). The $\rho^0 - \omega$ interference parameters in diffractive photoproduction of vector mesons on hydrogen. *Nuclear Physics B*, 29(2), 349–356. [http://doi.org/10.1016/0550-3213\(71\)90026-5](http://doi.org/10.1016/0550-3213(71)90026-5)

Nozar, M., Salgado, C., Weygand, D., & Guo, L. (2009). Search for the photo-excitation of exotic mesons in the $\pi^+ \pi^+ \pi^-$ system. *Physical Review Letters*, 102, 102002.

Olsen, H., & Maximon, L. C. (1959). Photon and Electron Polarization in High-Energy Bremsstrahlung and Pair Production with Screening. *Phys. Rev.*, 114, 887–904. <http://doi.org/10.1103/PhysRev.114.887>

Schiling, K., Seyboth, P., & Wolf, G. (1970). On the Analysis of Vector-Meson Production by Polarized Photons. *Nuclear Physics B*, 15, 397–412.

Söding, P. (1966). On the Apparent shift of the rho meson mass in photoproduction. *Physics Letters*, 19(8), 702–704.
[http://doi.org/10.1016/0031-9163\(66\)90451-3](http://doi.org/10.1016/0031-9163(66)90451-3)

Thews, R. (1968). High-Energy Polarized-Photon Reactions. *Phys. Rev.*, 175(5), 1749.